



Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "**((defects)<in>metadata) and symptoms**"

e-mail

Your search matched **57** of **1229994** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)
[New Search](#)

Modify Search


☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

» Other Resources

(Available For Purchase)

Top Book Results

CMOS Electronics

by Segura, J.; Hawkins, C. F.;
Hardcover, Edition: 1
[View All 1 Result\(s\)](#)

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Select Article Information

View: 1-

**1. Diagnosing rediscovered software problems using symptoms**

Lee, I.; Iyer, R.K.;
Software Engineering, IEEE Transactions on
Volume 26, Issue 2, Feb. 2000 Page(s):113 - 127
Digital Object Identifier 10.1109/32.841113

[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(268 KB) IEEE JNL
**2. Defect prevention through defect prediction: a case study at Infosys**

Mohapatra, S.; Mohanty, B.;
Software Maintenance, 2001. Proceedings. IEEE International Conference on
7-9 Nov. 2001 Page(s):260 - 272
Digital Object Identifier 10.1109/ICSM.2001.972739

[AbstractPlus](#) | Full Text: [PDF](#)(82 KB) IEEE CNF
**3. ANN application in electronic diagnosis-preliminary results**

Andrejevic, M.; Litovski, V.;
Microelectronics, 2004. 24th International Conference on
Volume 2, 16-19 May 2004 Page(s):597 - 600 vol.2

[AbstractPlus](#) | Full Text: [PDF](#)(357 KB) IEEE CNF
**4. Systematic approach to modern corded telephone early commutation fail**

Verbitsky, D.E.; Comerford, T.N.;
Reliability and Maintainability Symposium, 1999. Proceedings. Annual
18-21 Jan. 1999 Page(s):84 - 90
Digital Object Identifier 10.1109/RAMS.1999.744101

[AbstractPlus](#) | Full Text: [PDF](#)(1296 KB) IEEE CNF
**5. Quality testing requires quality thinking**

Soden, J.M.; Hawkins, C.F.;
Test Conference, 1993. Proceedings., International
17-21 Oct. 1993 Page(s):596
Digital Object Identifier 10.1109/TEST.1993.470646

[AbstractPlus](#) | Full Text: [PDF](#)(96 KB) IEEE CNF
**6. Developing case-based reasoning systems: a case study in diagnosing b**

Watson, I.; Abdullah, S.;
Case Based Reasoning: Prospects for Applications, IEE Colloquium on
3 Mar 1994 Page(s):1/1 - 1/3

[AbstractPlus](#) | Full Text: [PDF](#)(16 KB) IEE CNF

- ☐ **7. A defect-tolerant design for full-wafer memory LSI**
 Ueoka, Y.; Minagawa, C.; Oka, M.; Ishimoto, A.;
 Solid-State Circuits, IEEE Journal of
 Volume 19, Issue 3, Jun 1984 Page(s):319 - 324
[AbstractPlus](#) | Full Text: [PDF](#)(1128 KB) IEEE JNL

- ☐ **8. Some high-power window failures**
 Vaughan, J.R.M.;
 Electron Devices, IEEE Transactions on
 Volume 8, Issue 4, Jul 1961 Page(s):302 - 308
[AbstractPlus](#) | Full Text: [PDF](#)(888 KB) IEEE JNL

- ☐ **9. Fault detection in programmable logic arrays**
 Somenzi, F.; Gai, S.;
 Proceedings of the IEEE
 Volume 74, Issue 5, May 1986 Page(s):655 - 668
[AbstractPlus](#) | Full Text: [PDF](#)(1205 KB) IEEE JNL

- ☐ **10. Detection of wide-band E-M signals emitted from partial discharge occur wavelet transform**
 Kawada, M.; Tungkanawanich, A.; Kawasaki, Z.-I.; Matsu-Ura, K.;
 Power Delivery, IEEE Transactions on
 Volume 15, Issue 2, April 2000 Page(s):467 - 471
 Digital Object Identifier 10.1109/61.852970
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(124 KB) IEEE JNL

- ☐ **11. Scaffold-based articular cartilage repair**
 Capito, R.M.; Spector, M.;
 Engineering in Medicine and Biology Magazine, IEEE
 Volume 22, Issue 5, Sept.-Oct. 2003 Page(s):42 - 50
 Digital Object Identifier 10.1109/MEMB.2003.1256271
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(792 KB) IEEE JNL

- ☐ **12. Energy output degradation of Czochralski ruby lasers**
 Stickley, C.M.; Miller, H.; Hoell, E.E.; Gallagher, C.C.; Bradbury, R.A.;
 1967 International Electron Devices Meeting
 Volume 13, 1967 Page(s):32 - 32
[AbstractPlus](#) | Full Text: [PDF](#)(112 KB) IEEE CNF

- ☐ **13. Crop Nutrition Diagnosis Expert System Based on Artificial Neural Network**
 Haiyan Song; Yong He;
 Information Technology and Applications, 2005. ICITA 2005. Third International Conference on
 Volume 1, 04-07 July 2005 Page(s):357 - 362
 Digital Object Identifier 10.1109/ICITA.2005.108
[AbstractPlus](#) | Full Text: [PDF](#)(91 KB) IEEE CNF

- ☐ **14. Risk for alcoholism and developmental defects of specific brain structure: a morphometric study**
 Antony, G.; Benegal, V.; Jayakumar, P.N.;
 Biomedical Imaging: Macro to Nano, 2004. IEEE International Symposium on
 15-18 April 2004 Page(s):229 - 232 Vol. 1
 Digital Object Identifier 10.1109/ISBI.2004.1398516
[AbstractPlus](#) | Full Text: [PDF](#)(444 KB) IEEE CNF

- ☐ **15. Partial discharge weak spots localization in the stator insulation of runnig generators**
 van Breen, H.J.; Galski, E.; Smit, J.J.;
 Electrical Insulation Conference and Electrical Manufacturing & Coil Winding Technology Conference, 2003. Proceedings
 23-25 Sept. 2003 Page(s):43 - 46
 Digital Object Identifier 10.1109/EICEMC.2003.1247851
[AbstractPlus](#) | Full Text: [PDF](#)(389 KB) IEEE CNF

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	22009	700/108\$.ccls. or 700/109\$.ccls. or 700/110\$.ccls. or 702/179\$.ccls. or 702/182\$.ccls. or 702/188\$.ccls. or 707/10 or 707/3 or 707/100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 12:42
L2	18	1 and (observ\$5 same indicat\$4 same defect\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 12:42
L3	4	2 and (defects and database and repair)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 12:43

- ☐ **16. PD inception conditions and PD pattern of defects in PILC**
 Muramoto, Y.; Gulski, E.; Wester, F.J.; Smit, J.J.;
 Solid Dielectrics, 2001. ICSD '01. Proceedings of the 2001 IEEE 7th International Conference on
 25-29 June 2001 Page(s):369 - 372
 Digital Object Identifier 10.1109/ICSD.2001.955659
[AbstractPlus](#) | Full Text: [PDF](#)(384 KB) IEEE CNF
- ☐ **17. Bayesian networks and decision trees in the diagnosis of female urinary**
 Hunt, M.; von Kinsky, B.; Venkatesh, S.; Petros, P.;
 Engineering in Medicine and Biology Society, 2000. Proceedings of the 22nd Annual International Conference of the IEEE
 Volume 1, 23-28 July 2000 Page(s):551 - 554 vol.1
 Digital Object Identifier 10.1109/IEMBS.2000.900799
[AbstractPlus](#) | Full Text: [PDF](#)(348 KB) IEEE CNF
- ☐ **18. Recognition of defects in high voltage transmission lines using the acoustic corona effect**
 Tadeusiewicz, R.; Wszolek, T.; Izowski, A.; Wszolek, W.;
 Neural Networks for Signal Processing X, 2000. Proceedings of the 2000 IEEE Processing Society Workshop
 Volume 2, 11-13 Dec. 2000 Page(s):869 - 875 vol.2
 Digital Object Identifier 10.1109/NNSP.2000.890167
[AbstractPlus](#) | Full Text: [PDF](#)(368 KB) IEEE CNF
- ☐ **19. Perspectives of extreme HF-therapy in medicine**
 Shakourov, M.Sh.; Makarov, A.G.; Morozov, G.A.;
 Microwave Conference, 1999. Microwave & Telecommunication Technology. 1 International Crimean [In Russian with English abstracts]
 13-16 Sept. 1999 Page(s):401 - 402
 Digital Object Identifier 10.1109/CRMICO.1999.815286
[AbstractPlus](#) | Full Text: [PDF](#)(168 KB) IEEE CNF
- ☐ **20. Dynamic diagnosis of sequential circuits based on stuck-at faults**
 Venkataraman, S.; Hartanto, I.; Kent Fuchs, W.;
 VLSI Test Symposium, 1996., Proceedings of 14th
 28 April-1 May 1996 Page(s):198 - 203
 Digital Object Identifier 10.1109/VTEST.1996.510858
[AbstractPlus](#) | Full Text: [PDF](#)(496 KB) IEEE CNF
- ☐ **21. Categorizing light output degradation failures in LEDs using the relationship between defect revealing mechanisms responsible for electroluminescence (EL), cathodoluminescence (CL), EBIC, and reverse bias photoemission (RP)**
 Mann, R.S.; McElfresh, D.K.;
 Reliability Physics Symposium, 1995. 33rd Annual Proceedings., IEEE International
 4-6 April 1995 Page(s):177 - 186
 Digital Object Identifier 10.1109/RELPHY.1995.513672
[AbstractPlus](#) | Full Text: [PDF](#)(2528 KB) IEEE CNF
- ☐ **22. Software defects and their impact on system availability-a study of field failures in operating systems**
 Sullivan, M.; Chillarege, R.;
 Fault-Tolerant Computing, 1991. FTCS-21. Digest of Papers., Twenty-First International Symposium
 25-27 June 1991 Page(s):2 - 9
 Digital Object Identifier 10.1109/FTCS.1991.146625
[AbstractPlus](#) | Full Text: [PDF](#)(688 KB) IEEE CNF
- ☐ **23. Defect level prediction for I_{DDQ} testing**
 Okuda, Y.; Kubota, I.; Watanabe, M.;
 Test Conference, 1998. Proceedings. International

18-23 Oct. 1998 Page(s):900 - 909

Digital Object Identifier 10.1109/TEST.1998.743281

[AbstractPlus](#) | Full Text: [PDF](#)(952 KB) IEEE CNF**24. Application of extension theory to PD pattern recognition in high-voltage transformers**

Mang-Hui Wang; Chih-Yung Ho;

Power Delivery, IEEE Transactions on

Volume 20, Issue 3, July 2005 Page(s):1939 - 1946

Digital Object Identifier 10.1109/TPWRD.2005.848673

[AbstractPlus](#) | Full Text: [PDF](#)(1168 KB) IEEE JNL**25. Ensuring the operational health of droplet-based microelectrofluidic bios**

Fei Su; Ozev, S.; Chakrabarty, K.;

Sensors Journal, IEEE

Volume 5, Issue 4, Aug. 2005 Page(s):763 - 773

Digital Object Identifier 10.1109/JSEN.2005.848127

[AbstractPlus](#) | Full Text: [PDF](#)(960 KB) IEEE JNL

View: 1-

indexed by
 inspec[®][Help](#) [Contact Us](#) [Privacy & ;](#)

© Copyright 2005 IEEE --



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

symptoms of defects and manufacturing proce

[Search](#)

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)

Web Results 1 - 10 of about 71,200 for symptoms of defects and manufacturing processes and repair acti

Scholarly articles for symptoms of defects and manufacturing processes and repair actions of defects and frequency and 2000



[Implementing total productive maintenance in Nigerian ...](#) - by Eti - 0 citations

[Analyzing Textual Databases using Data Mining to Enable ...](#) - by MENON - 0 citations

[Make no mistake—errors can be controlled](#) - by Hinckley - 1 citations

A Comparison of the Global-8D-Process and TRIZ

For **process** and product improvement, any **defect** needs to be considered as a ... stay cleaner throughout the **process** instead of making the **repair action** ...

www.triz-journal.com/archives/2000/07/c/ - 88k - [Cached](#) - [Similar pages](#)

House of Tools

We will **repair**, without charge, any **defects** due to faulty materials or workmanship ... Seller warrants products of its own **manufacture** against **defects** in ...

www.houseoftools.com/content/houseoftoolscom/information/warranty.htm - 46k - [Cached](#) - [Similar pages](#)

Electronics Industry Fraud: Cancer and Birth Defects

Birth Defects in Children of Workers Exposed to Chemicals ... Many of the chemicals used in the microelectronic **manufacturing process** have been the subject ...

consumerlawpage.com/article/electric-fraud.shtml - 74k - Aug 31, 2005 - [Cached](#) - [Similar pages](#)

Dichlobenil, Pesticide Fact Sheet

Dichlobenil may cause birth **defects**. No information is available on its effect on ... The EPA is requiring **manufacturing process** data from the producers of ...

infoventures.com/e-hlth/pesticide/dichlobe.html - 24k - [Cached](#) - [Similar pages](#)

Medwatch - 2000 Safety Information

Important Medical Product Safety Information - 2000. ... for Carticel to second line therapy for the **repair** of cartilage **defects** of the femoral condyle. ...

www.fda.gov/medwatch/SAFETY/2000/safety00.htm - 92k - [Cached](#) - [Similar pages](#)

Glossary of 200 Common Quality Management Words, Acronyms and Terms

... in ISO 9000:2000) The carrying out of an **action** or **process** to completion. ...

Zero Defects The quality concept of zero tolerance for **defects** (see Six ...

www.1stnclclass.com/quality_glossary.htm - 96k - [Cached](#) - [Similar pages](#)

The 8-D Methodology

•Errors Will Not Turn into **Defects** if Feedback and **Action** Takes Place at The ... Inspection of Product Which Reduces **Defects** at the End of **Process** Using ...

elsmar.com/8D/ - 116k - [Cached](#) - [Similar pages](#)

Safety Report Assessment Guidance (Technical Aspects) -Inspe...

The application of NDT to support the **manufacturing** requirements or the ...

If NDT reports **defect** growth or non-growth then this is actually the case. ...

www.hse.gov.uk/comah/sragtech/techmeasndt.htm - 120k - [Cached](#) - [Similar pages](#)

[PDF] Federal Register /Vol. 64, No. 164/Wednesday, August 25, 1999/Notices

File Format: PDF/Adobe Acrobat - [View as HTML](#)

request paint **manufacturing process**. descriptions or schematics from no ...

identify emission-related **defects** or. classes of vehicles which may not ...


www.epa.gov/otaq/url-fr/fr25au99.pdf - [Similar pages](#)

#00-22

Every potential **action** to reduce the **frequency** and severity of accidents ...
However, it does not locate or eliminate **defects** that are currently too small ...
www.asme.org/gric/ps/2000/00-22.html - 43k - [Cached](#) - [Similar pages](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google